

Complete Lines

MCS

Washing

Reference: 7044 *Cost:* 0 *Terms:* - Pictures not available

Please consider: If prices are mentioned, they do not include commission for us or any agents!!!

POS. 01 MCS WASHING LINE - WW 1800 - YEAR 1987

Fot PRICE: Euro 140.000,00

- Tower widen E.L.
- Scarves prewash
- Shooting in the air
- Series of washing tanks at 5 rpm tissue MCS
- No. 4 wash tubs to 9 laps tissue MCS
- No. 5 scarves intermediate MCS
- Scarves final squeezing MCS
- Drying to 14 cylinders MCS
- Scray output
- Widening tissue E.L.
- Ring rolling
- No. 2 plant of exhaustion vapors
- Power Panel
- Photomontages control pulpit with synoptic

O.M.T.

Washing

Reference: 7519 *Cost:* 0 *Terms:* - Pictures not available

1 Complete line for stone wash denim composed of:

3 washing machines O.M.I. Year 1998 model LCO650, capacity 140/240 kilos each, with automatic load and download, diam. 1800 lenght 2800, steam heated.

1 washing centrifuge O.M.I., yer 1998, model LSCO650, capacity 140/240 kilos, with automatic load and download, diam 1800 lenght 2800.

1 pumice separator O.M.I. Year 1998, model SPR1200, capacity 140 kilos, with automatic load and download, diam. 2200 lenght 4300, with inverter.

1 rotary steam dryer O.M.I. Year 2000, model ER950, capacity 240 kilos, with automatic load and download, diam. 1800 lenght 3800, with inverter.

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Complete Plant

Multiple

Washing

Reference: 5816 *Cost:* 0

Terms:

Pictures not available

COMPLETE DENIM JEANS GARMENT WASHING PLANT FOR SALE

PRODUCTION WASHING MACHINES

4 WASHING MACHINE TONELLO GI420LS 130 KGS GMNTS ITALY

5 WASHING MACHINE GREENMAC GM550 70 KGS SINGAPORE

2 WASHING MACHINEAL-AMEEN 400KG F/LOAD 100 KGS PAKISTAN

BLASTING MACHINE

BLASTING MACHINE NGAI SHING NS-8711MDEPENDS HONG KONG

BLASTING MACHINE NGAI SHING NS-8710 ON PAKISTAN

2 BLASTING MACHINE CONCORDE 300 PROCESS TURKEY

WRINKLE PRESS

WRINKLE PRESS CONCORDE 2X120CM DEPENDS TURKEY

WRINKLE PRESS (RIGIONAL) CONCORDE DH TURKEY

WRINKLE MACHINE (RIGIONAL) CONCORDE DH SR-24-25 ON TURKEY

2 WRINKLE MACHINE (RIGIONAL) CONCORDE SH-3D TURKEY

WRINKLE MACHINE (D/HEATED WIR) CONCORDE C3D RWC ARTICLE TURKEY

WRINKLE PRESS (STEAM) BANGLORE PAKISTAN

4 WRINKLE PRESS (ELECTRIC) ZAIN IMPEX HL -2D PROCESSES PAKISTAN

CURING OVEN

OVEN-GAS HEATED CONCORDE CO-300 AS PER PROCESS TURKEY

DRYERS

2 STEAM HEATED THUMBLE DRYER GREENMAC GD100 10 GARMENTS SINGAPORE

4 STEAM HEATED THUMBLE DRYER GREENMAC GD300 50 GARMENTS SINGAPORE

2 STEAM HEATED THUMBLE DRYER TOLON TTD-150 50 GARMENTS TURKEY

2 STEAM HEATED THUMBLE DRYER TOLON TTD-200 60 GARMRNTS TURKEY

HYDRO EXTRACTOR

HYDRO EXTRACTOR GREENMAC SHE42C 200 LBS.. SINGAPORE

HYDRO EXTRACTOR LOCAL 5 5 LBS PAKISTAN

HYDRO EXTRACTOR LOCAL 25 25 LBS PAKISTAN

HYDRO EXTRACTOR GREENMACSHE42C 200 LBS SINGAPORE

SAMPLE DEPT. (BARREL WASHING)

3 WASHING MACHINE GREENMAC MGM-110 5 KGS GMNT SINGAPORE

WASHING MACHINE AL-AMEEN 200 10 KGS PAKISTAN

WASHING MACHINE AL-AMEEN 100 5 KGS PAKISTAN

Finishing

Alliance

Washing

Reference: 4318 *Cost:* 7,000

Terms: EACH,
USD, FOT

<http://finatexinternational.com/pictures/4318.zip>

Unimac washer, Alliance Laundry Systems, Model: MW35PVQU40007, SN: M0698129080
V200-240, amps 10, 50/60Hz, 3Phase, 35 lb capacity, RPM 795

Reference: 4319 *Cost:* 7,000

Terms: EACH,
USD, FOT

<http://finatexinternational.com/pictures/4319.zip>

Unimac washer, Alliance Laundry systems, SN 1295074129, Mod: UF50PVQU20001, 30 amps, 50/60 Hz, 3 Ph, 50 lb capacity, speed 900 rpm, 1995,

Arioli

Washing

Reference: 4646 *Cost:* 0

Terms:

Pictures not available

ARIOLI Washing Machine, ww: 1850

*5 Washing Chambers

*Tensionless Control System

*Open Width for Knit and Woven

*Water Blade with Overflow System

*Exit by Plaiter

Reference: 5041 *Cost:* 110,000 *Terms:* euor, mill floor Pictures not available

Arioli washing line width meters. 2.00
consists of:
Fularda of relaxation spremituraVasca Nosedada with waste
Feeder White
Scrubber Arioli mod. Washer Sat 2 - years
built 2001 - matr. 3332, consisting of No. 5
wash basins - preasciugatoio - oven
Curing dry ground

Reference: 6627 *Cost:* 0 *Terms:* - Pictures not available

continuos washing line ARIOLI 6 chambers + dryer ARIOLI of 1995 , containing fabrics 110 mt. , working width : 220 cm
YEAR 1995

Baba

Washing

Reference: 7554 *Cost:* 0 *Terms:* SEE DESCRIPTION Pictures not available

1 BABCOCK continuous washing line year 1997, roller width 2400 mm ww 2200 mm, 5 washing chambers contents 15/20 meter, 5 squeezing padders type 5803, plaiter at exit.

Price: Euro 175.000/-- CNF

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Babcock

Washing

Reference: 6958 *Cost:* 0 *Terms:* - Pictures not available

Babcock Washing Line
year 1997
Width: 1800mm
High Fabric feeding frame with guide rollers
E&L Pnematic cloth guiders model KF20
4 x high performance wash boxes with double lacing and intermittent squeezers
Final heavy squeezing padder
Exit onto batcher
Siemens Controls 380v 50hz

Reference: 7199 *Cost:* 0 *Terms:* - Pictures not available

.1 WASHING RANGE OF BABACOCK
N.1 Impregnation, prewashing and bleaching BABCOCK Convitex C/Econsat - for impregnation for cold stocking - yoc 1997 - W.w. 1.800 mm (max fabric width)., production speed 80 mt/min - composed by: Entrance - N.2 Convitex C Washing Units - cloth content 20/ 30 mt each - Extra 1 Unit CONVITEX C - Final Squeezing padder - Cooling Cylinder - Impregnation ECONSAT unit with 14 mt cloth content - Dosierpilot - Exit.

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Reference: 7606 *Cost:* 0

Terms: -

Pictures not available

BABCOCK RELAX WASHING LINE
Year: 1990-2004
Roller width: 2400mm
Working width: 2200mm
Composed of:

High Fabric feeding frame
J-Scray
Brushing unit CARU year 2004 with dust suction
Set of SS guide rollers and airing unit
MCS wash box year 2004
Two roll padding mangle
Relax washing compartment with perforated drum
set of guide rollers
Squeezing padder with 2 bowls
Double perforated drum washing and application compartments
Fabric feeding into relax chamber with roller bed
2 bowl squeezing padder at exit
1st set of Relax washers with perforated drums
2 bowl squeezing padder
2nd relax washer with perforated drum
3rd relax washer with perforated drum
4th relax washer with big perforated drum
2 bowl squeezing padder
Airing Zone
Fabric exit to plaiter in wet form

or

Fabric entry to 5 chambers relax dryer with conveyor belt
Gas heated
exit onto big batcher

Excellent condition, erected on mills floor and connected to power

Location: Europe

Available immediately

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Benninger

Washing

Reference: 5035 *Cost:* 88,000 *Terms:* euro, ex mill

Pictures not available

1-COLD WASHING MACHINE BENNINGER, WW 2400MM, 4 CHAMBER-CABIN WASHING, DRYING DOUBLE CYLINDER, YEARS 1977

Reference: 7562 *Cost:* 0

Terms: SEE
DESCRIPTI
ON

Pictures not available

SET BENNINGER COMPLETE WASHING-BLEACHING LINE - YOC 1986
- WORKING WIDTH 2600 MM
- COMPLETE WITH DRYER: 18/20 STEAM CYLINDERS

Bleaching inlet:

- FOULARD BENNINGER
- TANK (PRE-ENTRY)
- STEAM CONTENT: mt. 45
- TABLE HEIGHT mm. 2600
- 02 TANKS
- VARIOUS CONTAINERS
- DRYING CHAMBER
- 03 EXTRACTA TANKS: 02 PASSAGES, DOUBLE DRAWING-IN WITH IN-BETWEEN FOULARDS
- 02 EXTRACTA TANKS: 03 PASSAGES, DOUBLE DRAWING-IN WITH IN-BETWEEN FOULARDS
- 02 EXTRACTA TANKS: 02 PASSAGES, DOUBLE DRAWING-IN
- EXIT BENNINGER FOULARD (BIG SQUEEZING WITH G.R. ROLLER

(POSSIBILITY OF INSTALLING A BY-PASS ON 02 DRYING TOWERS WITH 10 CYLINDERS EACH - HEIGHT mm. 2600 - DIAM. mm 600.- EXIT ON G.R., COMPLETE WITH HUMIDITY CHECKING DVICE
EX-WORKS PRICE: EURO 122.000,00.-
STATUS: STILL ERECTED
LOCATION: ITALY

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Biancalani

Washing

Reference: 4111 **Cost:** 0 **Terms:** Pictures not available

1 X BIANCALANI WASHING MACHNE, 1989
TYPE: AIRO 1000

Reference: 4170 **Cost:** 0 **Terms:** <http://finatexinternational.com/pictures/4170.zip>

Biancalani, 2 pocket washing machine, airo, type S, SN: A970448

Reference: 4784 **Cost:** 17,000 **Terms:** euro, ex mill <http://finatexinternational.com/pictures/4784.zip>

AIRO MACHINE 2 CHANNEL brand BIANCALANI, model AIRO 1000 s, serial N/A

Reference: 4783 **Cost:** 17,000 **Terms:** euro, ex mill <http://finatexinternational.com/pictures/4783.zip>

AIRO MACHINE 2 CHANNEL brand BIANCALANI, model AIRO 1000, serial 207,year 1991

Reference: 4806 **Cost:** 0 **Terms:** Pictures not available

1 X BIANCALANI WASHING MACHNE, 1989
TYPE: AIRO 1000

Reference: 5421 **Cost:** 47,000 **Terms:** EACH, EURO, CNF <http://finatexinternational.com/pictures/5421.zip>

NR.1 BIANCALANI AIRO 1000spe,Machine equipped with :

Dry and wet process ,

steam heated system,

dust filter,

separate tanks for chemical products preparation and machine's feeds by dedicated pumps

Machine in excellent conditions cleaned and tested before shipment

Price CnF ANY MAYOR PORT onto container Euro.50.000,00

Delivery - 25 Days from order and advance payment receipt

Payment - 30% with order 70% before shipment by TT ,

Assembly - excluded , if requested we can supply our specialized technician at client's charge : air trip ticket , euro.500 per day + board and lodging

NR.1 BIANCALANI AIRO 1000,Machine equipped with :

Dry and wet process ,

steam heated system,

dust filter,

separate tanks for chemical products preparation and machine's feeds by dedicated pumps

Machine in excellent conditions cleaned and tested before shipment

Reference: 5571 **Cost:** 0 **Terms:** Pictures not available

Fabric softening, washing and drying machine Biancalani Airo Quattro -2 nos.

4 channels. Gas heated.

For fabric 150-500 GSM

Speed 30-1000 cub. M./hr.

Dryer temp 60°-170°

Gas consumption 34.24-85.57 cub.m./hr.

Electrical 380V/50 Hz

Air pressure 10Bar

Gas pressure 100-200 mBar

Reference: 6276 **Cost:** 150,000 **Terms:** EACH, EURO, FOT, <http://finatexinternational.com/pictures/6276.zip>

PERFECT CONDITIONS RARE BIANCALANI MACHINE :
NR.1 Fabric softening, washing and drying machine Biancalani Airo Quattro yoc.2003CE
-4 CHANNELS ,
-GAS HEATING SYSTEM ,
-PLC AND TOUCH SCREEN COMPUTER ,
-AUTOMATIC CLEANING SYSTEM BY CYCLON WITH AUTOCLEANING WATER SYSTEM,
-SEPARATION OF THE MACHINE IN THREE SECTIONS FOR BETTER CLEANING SYSTEM,
-IDRAULIC SYSTEM WITH STEAM HEATED INTECOOLER + DIRECT STEAM INJECTION SYSTEM ON BATH + CIRCULATION AND INTRODUCTION PUMP ,
-PH SENSOR ,
-STEAM INJECTION ON REAR BEATERS AND ON VENTURI PIPES,
-COUNTERMETER OF THE FABRIC IN LOADING PROCESS,
-FABRICS FROM 80 TO 550 GSM
-Speed 30-1000 cub. M./hr.
-Dryer temp 60°-170°
-Gas consumption 34.24-85.57 cub.m./hr.
-Electrical 380V/50 Hz
-Air pressure 10Bar
-Gas pressure 100-200 mBar

Reference: 3955 **Cost:** 60,000 **Terms:** EACH, USD, MILL FLOOR <http://finatexinternational.com/pictures/3955.zip>

Biancalani Aero Due – Mechanical Softening Machine.
• Wet and dry applications such as softening and pre- treatments.

Specifications

- Loading capacity approximately 300 Linear meters per tube.
- 2 tubes.
- Year of manufacture 1999.
- Equipment Manual – Usage and Maintenance available.
- Condition – Excellent.

Thanks for visiting Interglobal SA website. For further information please contact with us.

Reference: 6751 **Cost:** 0 **Terms:** - Pictures not available

ROPE FINISHING MACHINERY
POS. 21 - 01 SET BIANCALANI MOD. AIRO 1000 (DRY/WET, 2 ROPES) MACHINE
POS. 22 - 01 SET BIANCALANI MOD. AIRO 1000 SPE (DRY/WET, 2 ROPES) MACHINE - YEAR 1995
POS. 22 - 01 SET BIANCALANI MOD. AIRO DEU I MOD. AP2LXVVCE (DRY/WET, 2 ROPES) MACHINE - YEAR 2002

Reference: 7035 **Cost:** 0 **Terms:** - Pictures not available

1 X BIANCALANI WASHING MACHNE, 1989
TYPE: AIRO 1000

1 X FAMIT ECO FLOW DYEING MACHINE, 1997
CAPACITY: 600KG
4 CHANNELS
MAX TEMP: 108 DEG C

Reference: 4803 **Cost:** 0 **Terms:** Pictures not available

Biancalani Aero DUE/

.
02 Biancalani AERO DUE "L"

YOC 2002

Electrical tension: 3 x 380 V 50 Hz

Delivery: ready
Price: upon request
Location: Italy

Reference: 7679 *Cost:* 0

Terms: -

Pictures not available

Air Flow Bulking Machine / Biancalani / 4-chamber, gas and steam fired, yr. 1999

Biancalani Air Flow Bulking machine Model Airo, 4 position, Airo Quattros, Type B54XGAE, S/N B990024, year 1999, 480 volts, 60 cycle, 6-10 bar, with 100-200 mbar, 4-12 bar heat exchanger, direct heat, 1-3 bar, 200-300 yards per chamber, loading and unloading reel, gas fired, circulating fan, exhaust fan with a heat exchanger and pumping the heat back into the unit

With: Cedar Rapids Lattner, Mfg. No. 86050, 150 psi, with 123 kw heating surface, year 1999, steam capacity is 690 BTU's, N.B. #50278, rated at 20 HP, Type HE, S/N 50278, with 970,000 BTU's max. input

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Reference: 7108 *Cost:* 0

Terms: -

Pictures not available

BIANCALANI AIRO/1000 yoc 1989

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Braun
Washing

Reference: 3958

Cost: 0

Terms: see
description

<http://finatexinternational.com/pictures/3958.zip>

No.
Item
Brand
Model
CAPACITY
Voltage
Compressed
YOC

Air

1

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1997

2

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1997

3

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1997

4

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1997

5

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1997

6

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1997

7

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1997

8

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1997

9

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1997

10

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1998

11

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1998

12

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1998

13

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1998

14

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1998

15

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1998

16

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1998

17

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1998

18

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1998

19

Stone Washing

BRAUN

550NOLUDPV-SWO

500 Lbs

220 Volt

N/A

80/100 Lbs

1998

20

Stone Washing

BRAUN

550NOLUDPV-SW

500 Lbs

220 Volt

N/A

80/100 Lbs

1998

1

Dryer

BRAUN

400PT-PGF

500 Lbs

220 Volt

Natural Gas.

80/100 Lbs

1997

2

Dryer

BRAUN

400PT-PGF

500 Lbs

220 Volt

Natural Gas.

80/100 Lbs

1997

3

Dryer

BRAUN

400PT-PGF

500 Lbs

220 Volt

Natural Gas.

80/100 Lbs

1997

4

Dryer

BRAUN

500PT-PGF

500 Lbs

220 Volt

Natural Gas.

80/100 Lbs

1998

5

Dryer

BRAUN

500PT-PGF

500 Lbs

220 Volt

Natural Gas.

80/100 Lbs

1998

6

Dryer

BRAUN

500PT-NGF

500 Lbs

220 Volt

Natural Gas.

80/100 Lbs

1998

7

Dryer

BRAUN

500PT-NGF

500 Lbs

220 Volt

Natural Gas.

80/100 Lbs

1998

8

Dryer

BRAUN

500PT-NGF

500 Lbs

220 Volt

Natural Gas.

80/100 Lbs

1998

9

Dryer

BRAUN

500PT-NGF

500 Lbs

220 Volt

Natural Gas.

80/100 Lbs

1998

PRICE OF EACH BRAUN STONE WASHING MACHINE: 33.000 USD Ex Works (Negotiable upon serious Interest).

PRICE OF EACH BRAUN DRYER: 14.000 USD Ex Works.

Please get in contact with us if you are interested in these machines above.

LOCATION NORTH AMERICA. SPLIT SALE IS POSSIBLE BUT MINIMUM ORDER IS 6 MACHINES.

Best regards and thank you.

Brueckner

Washing

Reference: 4648 *Cost:* 0 *Terms:* Pictures not available

BRUCKNER Rope Washing Machine, Model: Delphin D12 Type: A

CIMI

Washing

Reference: 4705 *Cost:* 0 *Terms:* Pictures not available

1 CIMI LAVANOVA continuous washing machine year 1995, stainless steel, ww 2200 mm, 5 chambers each with squeezer, final squeezing padder, automatic filter with conveyor belt, Corino centralizing device at input

Reference: 6661 *Cost:* 0 *Terms:* - <http://finatexinternational.com/pictures/6661.zip>

CIMI SCOURING/WASHING/MILLING MACHINE MODEL FOLATEX 4C, YOM.2001

Machine equipped with :

- 4 channels nr.8 rubber cylinders,
- full stainlesssteel construction,
- computer for full machine's setting and programming for the total resetting of the various article during the time,
- motorization 380v 50hz driven by inverters,
- speed from 0 to max 500 meters-min,
- max lod capacity 800 meters according with the fabric's weight .

Machine in perfect conditions cleaned and tested it does not needs of any particular reconditioning process .

Price just reduced for immediate order and clear space , pls ask

Reference: 7196 *Cost:* 0 *Terms:* - Pictures not available

CONTINUOS WASHING MACHINE CIMI MOD LAVABLEACH, YOM.2006

Machine equipped with :

- ww.2000mm,
- entrance by Corino Z1 flic 4 + dogal + uncurlers,
- first impregnation tank with possibility to exit by big batch to go to other applications ,
- cylinders passage accumulation ,
- nr.8 washing tanks with nr.5 intermediate squeezers high efficiency big power,
- exit y big batch system.

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Goller

Washing

Reference: 6647 *Cost:* 0 *Terms:* - Pictures not available

1 GOLLER WASHING LINE, year 2000, working width 3600, with 3 washing tanks 2 are ACTIVA 30 and 1 is ACTIVA 20, double entry, exit with pneumatic padder 10 tons, exit big batcher, with RAMALLUMIN dryer, 2 towers with 8 cylinders to dry both sides of the fabric.

Reference: 4856 **Cost:** 110,000 **Terms:** usd, ex mill <http://finatexinternational.com/pictures/4856.zip>

1 Goller Wash Range, year 1990
Working Width 3.4 m, E&L Guiders, 1 Spray Washing Unit, Content about 20 m
4 Washing Compartments with Squeezers, content about 12 m each
Final 3-Roller Squeezing, Delivery to A-Frame, Incl Recovery System, Mixing Tanks, etc.
Cemel (France) Controls

Kleinewefers

Washing

Reference: 6405 **Cost:** 0 **Terms:** - <http://finatexinternational.com/pictures/6405.zip>

OPEN WIDTH TENSIONLESS WASHING MACHINE
Brand: R. Kleinewefers
Production Year: 1996
Serial number: 613.01.00
Working width: 3000mm
Speed of operation: 5 – 60 m/ min.
STRUCTURE:
1- Input unit. Helical spreader, centering frame is E + Leimer. Wetting unit + squeezing.
2- Washig impregnation: It has double drums. Water circulation is with double pumps. Dircet steam heating.
3- Squeezing unit. Bottom section is normal roller, top Bicoflex section is squeezing roller with air bag.
4- Outlet unit: No

Kuesters

Washing

Reference: 5036 **Cost:** 155,000 **Terms:** euro, ex mill [Pictures not available](#)

2-WASHING MACHINE KÜSTERS ,YEARS 1992,WW 2400MM,TYP 281,5 CABIN WASHING, DRYING DOUBLE CYLINDER

Reference: 4121 **Cost:** 0 **Terms:** [Pictures not available](#)

1 KUSTERS continuous washing line fabric width max 1800 mm, year 1981, entry with Erhardt+Leimer guiders, total 6 chambers each with squeezing padder (models 1x234.07 + 4x234.46 + 1x237.07) cylinder dryer Wumag 4x8=32 cylinders diam. 800 mm steamheated, plaiter at exit.

Reference: 6406 **Cost:** 560,000 **Terms:** EACH, EURO, CNF <http://finatexinternational.com/pictures/6406.zip>

CONTINUE OPEN WIDTH WASHING AND DRYING RANGE
Brand: Küsters
Production year : 1998 (first erection has been made in 2008 and has been started up for the first time)
Serial number: 104-80487
Working width : 800-3200 mm. % 100 cotton, % 67 cotton, % 33 polyester, 150-250 g/ sqm.
Speed of operation: 40-50 m/min.
STRUCTURE:
1. Inlet unit. Selvedge incurlers are E + Leimer KF 2020
2. 1st bath with transition with rollic. Capacity 10m. Direct steam heating.
3. Squeezing unit.
4. Vacuum section.
5. 2nd bath. Compacta. Capacity 20m. Direct steam heating.
6. Inter squeezing
7. 3th bath. Compacta.Capacity 20m. Direct steam heating.
8. Steep master unit. Direct steam heating.
9. Inter squeezing.
10. 4th bath. Compacta. Capacity 20m. Direct steam heating.
11. Inter squeezing.
12. 5th bath. Compacta. Capacity 20m. Direct steam heating.
13. Inter squeezing.
14. 6th bath. Compacta. Capacity 17m. There are two sections. First one is neutralization with acid. Second one is water. It can be heated by steam directly.
15. High squeezing. Hydraulic swimming roller.
16 Cylinder dryer: WUMAG production. Roller diameter 800 mm/0. Item: 16 + 2 pieces cooling roller + PLEVA equipment of moisture controller.
17 Outlet unit. Big batching and plaiter.
18 Waste water recovery system (Filter + tubular heat exchanger.)

Reference: 7312 **Cost:** 0 **Terms:** - [Pictures not available](#)

1 KUSTERS continuous washing line year 1997, all stainless steel, roller width 1800 mm working width 1600mm, input with E+L cenbtering/extensioning device, impregnation bath, vacuum unit RKR, 3 washing chambers ROTOFUSCH 832.61 - 1600 each with vacuum RKR , 1 (4th) washing chamber Rotoflusch 832.61-1600 with final squeezing padder 2 bowls, plaiter at exit.

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Reference: 7096 *Cost:* 0 *Terms:* - Pictures not available

KUSTERS open width washing unit yoc 1983-working width 1800mm-6 washing units (3 Meander and 3 vertical)

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Reference: 7104 *Cost:* 0 *Terms:* - Pictures not available

KUSTERS/GOLLER after printing washing unit yoc 1974-working width 1800mm-4 VIBROTEX open width units + 1 GOLLER open width unit è 4 GOLLER rope washing units-with rope opener-exit folding

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

M.A.T

Scouring/ Soften

Reference: 5483 *Cost:* 0 *Terms:* Pictures not available

2 M.A.T. Scouring- and Milling Machines, type Turbomat, y.o.c.: 1997

M.C.S

Washing

Reference: 7553 *Cost:* 0 *Terms:* SEE DESCRIPTION Pictures not available

1 M.C.S. openwidth continuous washing line year 1987, all stainless steel, rollerwidth 1800 mm ww 1600 mm, entry with squeezer, 1 washing chamber contents 15 meter, squeezer, 4 washing chambers each 30 meter contents and each with squeezer, 1 chamber 15 meter, squeezer, cylinder dryer 2x7 cylinders, batching motion.

Price: Euro 175.000/-- CNF

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Minox

Washing

Reference: 4554 *Cost:* 17,000 *Terms:* euro, each, ex wks Pictures not available

(3) MINOX jets type PRT 3/C, 148°C, 3.5 bar, 1990/91/88, each machine with 3 ropes, 300 Kgs - time/temperature programmer with pneumatic valves - automatic seam detector - valves for discharge and washing - products introduction tank with electro pump - electric panel

No Name

Washing

Reference: 6753 *Cost:* 0 *Terms:* - Pictures not available

POS. 24 - 01 SET COMM.IN.TEX. MOD. 2M.TAV.2400 TUMBLER (TWO FIELDS) - WW 2400 MM - YEAR 1996

Omert

Washing

Reference: 7724 *Cost:* 0 *Terms:* - Pictures not available

OMERT Washing/Bulking/Fulling Machine, w/Auto Controls, 4-Strand, S.S., M/N DC-12, 500 Lb. Capacity (I#1923)

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Petrie McNaught

Washing

Reference: 5873 *Cost:* 0

Terms: -

Pictures not available

N. 1 COMPLETE WASHING WOOL LINE
MAKE: PETRIE MCNAUGHT
Bale opener ROLANDO Working width 2.000 mm year 1994 serial number 6347/561
Beater ROLANDO with 3 rollers - for grasy woollen - with autocleaning device of year 1994 serial number 6348/430
Feeder Malard SACM Roubaix of year 1977 serial number 46080
N. 6 iron baths PETRIE MCNAUGHT rec. on 1987 ww 1200 mm with pressing HL4'
Dryer ALEA 4 fields of year 1986
Intermediate feeder ROLANDO Model RA1 of year 1987
Dryer SBARAGLI model SD/50/1600 1 field of year 1997 serial 1866/97
Beater ROLANDO with 3 rollers for cleaned wool of year 1987 serial 5976/396
Oiling device PIV of year 1987
PRODUCTION CAPACITY: 1.000/1.200 KG per hour
Complete with Lanoline centrifugate degreaser Alfa

N. 1 COMPLETE WASHING WOOL LINE
MAKE : A. THIBEAU
Bale Opener ROLANDO Working width 2.000 mm of year 1995 serial 6375/570
Beater ROLANDO with 3 rollers - for greasy woollen - with autocleaning device of year 1993 width 2.000 mm serial 6322/427
Big dimension feeder Malard SACM ROUBAIX of year 1973
N. 6 iron baths with following details:
- n. 3 baths THIBEAU reconditioned on 1984 working width 1200 mm with press HL4'
- n. 3 baths PIV reconditioned on 1985 working width 1200 mm with press HL4'
Dryer ALEA 3 fields of year 1989 serial 7048
Dryer ALEA 2 fields of year 1989 serial 7049
Intermediate Feeder ROLANDO of year 1988 serial 6004/476
Beater ROLANDO with 6 rollers for cleaned wool of year 1988 serial 5998/401
Oiling device PIV of year 1988 - ref. Picture B8
Complete with Lanoline centrifugate degreaser Alfa

Ramallumin

Washing

Reference: 6914 *Cost:* 185,000 *Terms:* EACH, EURO, CNF <http://finatexinternational.com/pictures/6914.zip>

1 RAMISCH TRICOFLEX continuous washing line year 1990, renewed in 2005, suitable for KNIITED as well as WOVEN FABRICS, all stainless steel, usefull working width 2400 mm - rollerwidth 2600 mm, unrolling system REIMA and J-box at entry, centralising device Corino year 1993, washing chamber with 2 perforated drums diam. 600 mm, padder, maturation chamber length 6 meter with stainless steel blanket, padder , 3 washing chambers each with 2 perforated drums 600 mm, final squeezer Roberto, motorisation renewed and frequency steering installed in 2005, Excellent running condition.

Ramisch Kleinewefers

Washing

Reference: 5226 *Cost:* 0 *Terms:* Pictures not available

1 RAMISCH washing range Type TRICOFLEX, Year 1990, working width 240 cm
Table width 260 cm, composed of:
- J Box
- Drums DK80
- Maturation unit VS 6000
- 3 washing units DW80
- 1 Roberto Squeezing
Motors and control devices fully overhauled in 2005

Sperotto

Washing

Reference: 7610 *Cost:* 0

Terms: SEE
DESCRIPTI
ON

<http://finatexinternational.com/pictures/7610.zip>

n. 1 Dry washing line (perchloroethylene) make SPEROTTO RIMAR model SP 380,
year 1983 but upgraded with all INVERTERS
Nominal width 3600 mm but setting up to work up to 3000 mm composed by :

- entrance with Corino opener
- dry washing sector
- dry sector
- smell purification
- exit on fold

Plant complete with complete recycling and distilled line for perchloroethylene

location : Italy
delivery : ready
photos : enclosed
status : running

Price : eur 150.000 CNF

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Tonello
Washing

Reference: 3957

Cost: 0

Terms: see
description

<http://finatexinternational.com/pictures/3957.zip>

ITEM

Type

Brand

Model

Serial No.

Working Hours

Year

Voltaje

1

Stone Wash

Tonello

LS 510

3XXX

13,930

2003

400/440 V

2

Stone Wash

Tonello

LS 510

3XXX

14,889

2003

400/440 V

3

Stone Wash

Tonello

LS 510

3XXX

14,888

2003

400/440 V

4

Stone Wash

Tonello

LS 510

3XXX

15,496

2003

400/440 V

5

Stone Wash

Tonello

LS 510

3XXX

16,218

2003

400/440 V

6

Stone Wash

Tonello

LS 510

3XXX

15,950

2003

400/440 V

7

Stone Wash

Tonello

LS 510

3XXX

15,557

2003

400/440 V

8

Stone Wash

Tonello

LS 510

3XXX

15,402

2003

400/440 V

9

Stone Wash

Tonello

LS 510

3XXX

16,174

2003

400/440 V

10

Stone Wash

Tonello

LS 510

3XXX

15,706

2003

400/440 V

11

Stone Wash

Tonello

LS 510

3XXX

2,845

2003

400/440 V

12

Stone Wash

Tonello

LS 510

3XXX

7,834

2003

400/440 V

13

Stone Wash

Tonello

LS 510

3XXX

9,026

2003

400/440 V

14

Stone Wash

Tonello

LS 510

3XXX

8,905

2003

400/440 V

15

Stone Wash

Tonello

LS 510

3XXX

14,520

2003

400/440 V

16

Stone Wash

Tonello

LS 510

3XXX

6,865

2003

400/440 V

17

Stone Wash

Tonello

LS 510

3XXX

7,122

2003

400/440 V

18

Stone Wash

Tonello

LS 510

3XXX

14,514

2003

400/440 V

TONELLO G1 WASHER 510 S

WASHING MACHINE IS STILL WITH RACKS special form Open Pocket and Variable Speed
Centrifuge at 200 RPM, WORK FOR ALL TYPES OF CLEANING, DYEING, TENCEL, WOVEN FABRIC
LINEN, VIZCOSE, COTTON, POLYESTER ETC FOR SAND BLASTING EFFECTS, DELAVAN.
FEATURES:
THE COMPONENTS IN CONTACT WITH WATER ARE MADE OUT OF ANSI 316 STAINLESS STEEL
BASKET SPECIAL FOR STONE WASHING AND REINFORCED WITH A SPECIAL PLATE TO PROTECT THE BASKET.
LOADING DOOR WITH DC MOTOR FOR AUTOMATIC CLOSING
TWO WAY TILTING FORWARD and BACKWARDS for easy Loading and unloading (Tilt of 19 °)
ELECTRICAL PANEL
THREE WATER INLETS
ONE LIQUID TANK WITH PUMP MADE OF AISI 316 STAINLESS STEEL
SAMPLING DOOR-HATCH AND LOWER WINDOW CONTROL FOR BATH
PROVE TO REGISTER TOP AND LOWER WATER LEVEL
FLOW METER FOR WATER
PLC / MICROPROCESSOR INDUSTRIAL of 128 RAM, CELERON 300 PROCESSOR TYPE

The Price for each machine is 44.000 USD CNF Asia Major Sea Port.

TUPESA STONE WASHING MACHINERY:

ITEM

EQUIPO

MARCA

MODEL

YEAR

VOLTAGE

7

WASHER

TUPESA

STONE 750

2002

440 V

8

WASHER

TUPESA

STONE 750

2002

440 V

9

WASHER

TUPESA

STONE 750

2002

440 V

10

WASHER

TUPESA

STONE 750

2002

440 V

Price : 44.000 USD CNF.

Besides these we have many as follows:

Tupesa Stone Washing Machines

2 x Stone Washing Machine TUPESA Stone 550 (1999)
2 x Stone Washing Machine TUPESA Stone 550 (2000 and 2001)

Price Stone 550: 24.000 USD Each CNF

4 x Stone Washing Machine TUPESA TC-200 (1996)
2 x Stone Washing Machine TUPESA TC-200 (1998)

Price TC-200 : 18.000 USD each CNF

2 x Stone Washing Machine 142 / 71

Price : 18.000 USD each CNF.

4 units WASHEX Jeans finishing machines.

Model: 66/44FLT (Year 1994)

Capacity: 550 lbs

Extraction: 580 rpm

Voltaje: 380v/50/3

Status: Still working.

All machines are in Excellent conditions.
Machines location: Americas
Available Immediately.
Split sale possible
Status stopped and Dismantled on mill floor

Reference: 6885 *Cost:* 44,000

Terms: EACH,
USD, MILL
FLOOR

Pictures not available

Stone Washing Machinery

18 x Tonello Stone Washing Machines
Model LS510
Yoc 2003
Serial 3XXX
Voltage 400/440 V

4 x Tupesa Stone Washing Machines
Model TC750
Yoc 2002
Voltage 440 V

Reference: 7191 *Cost:* 0

Terms: -

Pictures not available

TONELLO WASHER
4 WASHING MACHINE TONELLO GI420LS 130 KGS GMNTS ITALY
MODEL NO GI 420 LS 130 KGS
YEAR 2005

DRYERS

2 STEAM HEATED THUMBLE DRYER TOLON TTD-150 50 GARMENTS TURKEY
2 STEAM HEATED THUMBLE DRYER TOLON TTD-200 60 GARMRNTS TURKEY

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Zonco

Scouring/ Soften

Reference: 7687 *Cost:* 0

Terms: -

Pictures not available

Scouring machine / Zonco / Year 1998

Zonco Machine to scour soften and dry woven & knitted fabrics in rope form, 2-section, Model EOLO, S/N 95.97.16, year 1998, with gas fired burner at exit for burning off all the pilling waste after scouring and washing, with computer controls, driven entrance and exit. 400V A/C / 60 / 3, absorbed power 61 KW, current intensity 140A, exit power 45 Hp. Heating elements power 400 KW, min. pressure air 500 KPA. Max. pressure air 800 KPA. FAB/Mfg. Zonco Federico, type: Secheclée, 120V/5 Amp 1,200,000 BTU per hour.

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!
