

Accessories

Cisell

Dryer

Reference: 4180 **Cost:** 0 **Terms:** <http://finatexinternational.com/pictures/4180.zip>

(6) Cisell Dryer
Model: L44OD42S, SN 14587-292, V208/240, 60 Hz, 100 lb capacity

Hankison

Compressed Air Dryer

Reference: 4368 **Cost:** 0 **Terms:** <http://finatexinternational.com/pictures/4368.zip>

(2) Hankison, compressed airdryer, Model 80766, SN 0312A-6-8-8606-002, 700 cmf, 200 PSIG, 460 V, 60Hz, 3Phase

Ingersoll

Compressed Air Dryer

Reference: 4369 **Cost:** 0 **Terms:** Pictures not available

Ingersoll Rand, compressed air dryer, Mod. TM600 IV, SN 943TM922, 460V, PSIG 278

JPS

Compressed Air Dryer

Reference: 4089 **Cost:** 0 **Terms:** <http://finatexinternational.com/pictures/4089.zip>

JPS Compressed Air Dryer, Model H-45, Serial 1127-9-9309-2, 575 V

Mannesmann

Compressed Air Dryer

Reference: 7868 **Cost:** 0 **Terms:** Pictures not available

01 MANNESMANN DEMAG SCREW COMPRESSOR,
YOC: 1998, 11 KW, 1,69M³/MIN, 7,5 BAR, WITH AIR COOLING DEVICE AND OIL SEPERATOR
ALSO AVAILABLE : HORIZONTAL AIR STORAGE TANK

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Stalam

Dryer

Reference: 5207 **Cost:** 27,000 **Terms:** EACH, EURO, FOT, <http://finatexinternational.com/pictures/5207.zip>

1 STALAM high frequency Dryer, year 1992 RFA 60, 40 KW

Attached Photos

- Location: France
- Machine is stopped, still erected but disconnected
- There is no spare part diode with it
- Diode supplied: Average condition

We remain at your disposal for any further information.

Finishing

Anglada

Dryer

Reference: 7314 *Cost:* 0 *Terms:* - Pictures not available

1 ANGLADA TURBANG MULTISTRIKE tumbler year 1992, fabric width 1800mm, squeezing/impregnation padder 2 bowls at entry preparation tank, gasheating, plaitez at exit, dustfilter

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Reference: 7309 *Cost:* 0 *Terms:* - Pictures not available

2 ANGLADA continuous tumblers TURBANG MULTI STRIKE year 2004 / 2002, working width 2400 mm, model TMS - 2.4T, 400 Volt, 120 kW, each 3 chambers, heating by thermofluid, plaitez at exit. exhaustor and dust collector

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Biancalani

Dryer

Reference: 7551 *Cost:* 0 *Terms:* SEE DESCRIPTION Pictures not available

1 BIANCALANI "" AIRO DUE L "" continuous tumbler mod. AP2LXVUCE, year 2002, steamheated.

Price: Euro 85.000/-- CNF

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Ciatti

Dryer

Reference: 7584 *Cost:* 0 *Terms:* SEE DESCRIPTION Pictures not available

CIATTI Drying Stenter
(Ramouse) Nr . 5 compartments. Gas heating, w. 2,2m .
Vertical pins chain with at the input :
valves. Year 1989
- KÜSTERS padder 222-58, w. 2.40 m. Year 1992
- CIATTI center
- Steaming
Sale Conditions :
Delivery : immediate
Total ex mill Price : Euro 49.000,00
Payment : 20 % down payment do be done immediately- 80 % LC.-
Machines still erected to the mill floor – location North of Italy

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Comintex

Dryer

Reference: 5232 *Cost:* 0 *Terms:* Pictures not available

1 COMINTEX Tumbler Dryer, year 1996, Type ACTIVA, working width 1 m 60
3 modules ACTIVA, 4 BIANCO centring units

Fongs

Dryer

Reference: 6803 *Cost:* 0 *Terms:* - Pictures not available

One 133" Wide FONG'S Conveyer Relax Dryer For Knitted / Hosiery Fabric - 3 Zones - Single Pass - Year:2000
The proposed Dryer is still in Production & highly well maintaind .
Production Cpaicity : 10 Tons per day.

Kuesters

Dryer

Reference: 6633 *Cost:* 0

Terms: -

Pictures not available

Kusters/Babcock Pad-Dry Machine – Working 1800 mm fabrics, year 1996, termosol system, inlet with accumulator, Kusters dyeing padder, Sera dyestuff and chemicals pump, Pleva moisture control, gas infrared pre-dryer, dryer and termofixation section with 60 meters, gas heating, cooling system, high speed changing roll.

MHM

Dryer

Reference: 4656 *Cost:* 0

Terms:

Pictures not available

MHM Drier
*Continuous Conveyor Drier
*2 Heater Chambers
*1 Cooling Chamber
*Automatic speed and temperature Control
Additional notes:
No. 8: MHM Piece Printing Machine

1. MHM is Piece Printing Machine, made in Austria.
2. There are 3 sets of plate sizes. The maximum size is 50 cms. x 70 cms.
3. There are 4 movable heating devices and 3 movable cooling devices for effects during printing.
4. Year of construction: 1990

Monfort

Dryer

Reference: 7709 *Cost:* 0

Terms: -

Pictures not available

Pre-Dryer / Monforts / 84" wide, gas fired, yr. 1996

Monforts Model VTG5400 Natural Gas Fired Pre-Dryer, 84" wide, year 1996, with five sections mounted in a main panel

Scope of Supply:

For each section:

- (1) Bent stretching roller (Mycock) with guide roller and bearings
- (1) Vertical radiation field for the fabric surface
- (1) Vertical radiation field for the reverse fabric side

Each radiation field comprising:

- (1) Frame made of profile iron for the arrangement of three (3) radiator sets with infrared-radiation burners, (infinite regulation between 100 and 20% including mixed gas/air feed, with direct ignition and UV flame supervision, installed ready for connection.
- Device for the automatic swivelling-off and switching-off of the radiator sets in case of fabric stoppages as well as automatic reswitching when restarting the cloth transport.
- (1) Exhaust channel
with pneumatically controlled throttle flap which automatically fully opens in case of cloth stoppage and returns again to the original operation position on restart of the fabric transport.
- (3) Radial suction fans with A.C. motor [for the five (5) predryers]. The fan is supplied separately.
- (1) Central gas feeding line, completely wired and with complete piping, with the necessary regulating and safety elements including regulating valve for the output range of the radiators. The gas must be available at the machine in gaseous condition with a regulated gas pressure of 80 mbar at the machine.
- (1) Combustion air fan with A.C. motor.
- (1) Photo-electrical cell for switching-off the radiators on passage of a fabric end.
- (1) Traction roller for each predryer, with jacket of stainless steel, 5.5 inch = 140 mm diameter, complete with bearings, with polished surface, arranged at the corresponding predryer outlet.
- (1) Compensator roller pneumatically controlled. Guiding rollers of the compensator with jacket made of stainless steel, with polished surface, arranged behind the driven traction roller of the last predryer.

The delivery scope does not include:

- the exhaust air lines from the predryer to the suction fan and from this fan into the open air
- the electrical lines for current for power
- drive system

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Multiple

Dryer

Reference: 6209 *Cost:* 0 *Terms:* - Pictures not available

Relax Tensionless Dryer for Knit
make: Salvade
year: 1988
Working width: 2600mm
2 chambers, 2 pass
steam heated
Nylon conveyor dryer.
380v, 50hz

No Name

Dryer

Reference: 5134 *Cost:* 36,000 *Terms:* COMPL', EURO, MIL FLOOR Pictures not available

DRYER WITH CYLINDERS

- manufacturer TEXCEL ITALIA - Dalmine - Bergamo
- type-- model PC 011180
- year of manufacture 1998
- stainless steel baring structure, with two drying cylinder columns made of steel covered with teflon
- height of drying cylinder table 3400 mm
- useable work height 3200 mm
- installed electrical power..... 23 kw
- absorbed electrical power..... 18 kw
- vapour consumption at 5 bar..... 700 kg/hour
- space occupied by the machine..... 30 sqm
- space required for working around the machine..... 14 sqm
- overall dimensions :
 - . length..... 5 metres
 - . width..... 6 metres
 - . height..... 4.70 metres

Machine mounting times amount to about 2 weeks.

I little foundation works for installing the machine are required.

Ramallumin

Dryer

Reference: 7836 *Cost:* 0 *Terms:* - Pictures not available

RAMALLUMIN cylinder drying unit yoc 1972-working width 1800mm-3 towers x 8 cylinders dia 630

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Renzacci

Dryer

Reference: 5946 *Cost:* 0 *Terms:* - Pictures not available

03 Drum dryer RENZACCI / Italy

Model: D 100
YOC : 2004
Capacity: 50 Kgs
Heating: Gas
Electrical tension: 3 x 380 V 50 Hz

Ruck

Dryer

Reference: 5241 *Cost:* 0 *Terms:* Pictures not available

1 RUCK dryer for knits, year 1987, type HDT 2000 V , cylinder width 2 m 70, belt width 2 m 30
2 chambers, propane gas, with 1 system for energy recovery, maximum temperature: 240°C

Reference: 5231 *Cost:* 0 *Terms:* Pictures not available

1 RUCK dryer for knits, year 1987, type HDT 2000 V , cylinder width 2 m 70, belt width 2 m 30
2 chambers, propane gas, with 1 system for energy recovery, maximum temperature: 240°C

Sant' Andrea

Dryer

Reference: 5477 *Cost:* 0 *Terms:* Pictures not available

1 SANTEX Continuous tumble and shrink dryer, type SANTASHRINK, working width: 1800 mm

Santa Lucia Unitec

Dryer

Reference: 4696 *Cost:* 137,000 *Terms:* euro, ex wks Pictures not available

I: SANTA LUCIA DRYING MACHINE - year of manufacture 2001

The RAMEUSE machine 's usage is to dry the fabric (continuous process)

The machines dries all types of fabrics, heavy fabrics and denim.

It has a very strong potential for drying,

It is fit for processing heavy fabrics,

Size of the machine: about width 4000 mm; total length 40.000mm.-

Powered by gas

working width mm. 2.200

gas system

70 metres of the fabric in the oven

Foulard mod. BIANCO

Storage system at the exit

No stop feeding

12 burners

Burner max. capacity = 120.000 Kcal/h

Plant max. capacity = 1.440.000 Kcal/h

Max. methane consumption = circa 171 Mc/h

Required inlet pressure on each burner = 50-60 mbar.

MACHINE STILL ETECTED ON THE MILL'S FLOOR, STOPPED

STATUS: EXCELLENT CONDITIONS

Santex

Dryer

Reference: 5476 *Cost:* 0 *Terms:* Pictures not available

1 SANTEX Continuous Tumble Dryer, type SANTASHRINK JUMBO 3K, working width: 2000 mm

Reference: 7649 *Cost:* 0 *Terms:* - <http://finatexinternational.com/pictures/7649.zip>

1 Santex Gas fired Conveyor Dryer year 1995-
3 -chamber , 2 pass

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Stalam

Dryer

Reference: 5869 *Cost:* 27,000 *Terms:* EACH, EURO, CNF Pictures not available

1 STALAM dryer R.F. , y.o.c. 1993, modell RFA40, ww 1200 mm, drying capacity of 60 kW because in combination with HOT AIR (steam bateries)

Textima

Dryer

Reference: 4960 *Cost:* 0 *Terms:* Pictures not available

TEXTIMA frame dryer
7 areas
chain needle-flap
chain working width 1650 mm
receiver: pendulum - roller device
padder
weft straightener
year 1987

Thies

Dryer

Reference: 4113 *Cost:* 0 *Terms:* Pictures not available

1 X THIES TUMBLE DRYER, 1987
TYPE: T 150/ 1500
CAPACITY: 150KG
MAX WIDTH: 1500MM
GAS HEATED

Tubetex

Dryer

Reference: 7832 *Cost:* 0 *Terms:* - Pictures not available

TUBETEX section dryer yoc 1991-perforated cylinders and belt drying-gas heating-working width 2200mmexit folding

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Wumag

Dryer

Reference: 7455 *Cost:* 0 *Terms:* SEE DESCRIPTION <http://finatexinternational.com/pictures/7455.zip>

1 WUMAG Vertical Cylinder Dryer. Year 1999. Working Width 3.2 m
Entry from A-Frame or Plaiter, J-Scray, Fabric Tentioner
Goller Impregnation Foulard, 2 Squeeze Rollers
9 Cylinders, all Teflon Coated, Oil Heated, max. Temperature 158C
Cooling Cylinder, Delivery to Plaiter or Batcher
Available: end 2012, still in production
Price: USD 125,000.00 CFR Major Sea Port

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!