

Complete Lines

No Name

Needle Loom

Reference: 7050 **Cost:** 0 **Terms:** - Pictures not available

- 1 - Complete Needling Line 6m wide - REF. RAK
- 1 - Complete Needling Line Width: 4900mm YOC: 1986- I-4
- 1 - Complete Needling Line 6.5m – REF. RAK
- 1- Complete Needling Line 3m – REF. RAK
- 2 – Complete Needling Line 2.5m – REF. RAK

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Complete Plant

Fehrer

Needle Loom

Reference: 7841 **Cost:** 0 **Terms:** - Pictures not available

NON-WOVEN CARPET WEAVING AND RECYCLING PLANT
FEHRER and ASSELIN Needle Punch Looms,
MASIAS Cards and Carpet Recycling,
GUASCH Cross Lappers,
TEPA Finishing and FLEISSNER Drying Machinery.
1996-2004
EUROPE
Machine
Card Recycling Make & Model
MASIAS Technical Details
800 KG/H Year
1996
Card 3 Body MASIAS 900 KG/H 2001
Card Sacfem-Ford SACFEM 300 KG/H 1985
2 Needle Punch Loom FEHRER 5000 A/ML 1300 RPM width 2.42 1987
1 Needle Punch Loom FEHRER 10000 A/ML 1300 RPM width 2.42 1987
1 Needle Punch Loom FEHRER 5000 A/ML 1300 RPM 2.42 1998
1 Needle Punch Loom AS50 ASSELIN 6000 A/ML 1500 RPM 2.60 2000
1 Needle Punch Loom NLRVS21 FEHRER 15000 A/ML 1800 RPM 2.42 DILOUR 1993
1 Needle Punch Loom ASV50 ASSELIN 10000 A/ML 2000 RPM 2.60 DILOUR 1996

1 Needle Punch Loom NL6 ribbed FEHRER 800 RPM 2.42 1976
2 Cross Lappers GUASCH GUASCH 90 M/MIN AMPL 2.5 2000
1 Cross Lapper GUASCH GUASCH 50 M/MIN AMPLE 2.5 1987
3 Open MASIAS MASIAS 1987
3 Recycling Machines of Carpet Size MASIAS 500MM 1994
1 Recycling of Carpet by Rolls MASIAS 2200 MM 2002
Press Bales Of Fiber FAES 2004
Steel to Cleaning Cylinders of Card 0 0 1991
Lamp Box Laboratory 0 0 1998
1 Drying System TORRES SISTEMA CADENA 2.5 1973
Automatically System of Sheets <sp< td=""> </sp><

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Needle Loom

Asselin

Needle Loom

Reference: 3900 **Cost:** 155,000 **Terms:** euro, fot Pictures not available

1 NEEDLE LOOM, constr. "ASSELIN", type SM.35.2E, year 1996, ww. 3500 mm, 9000 needles/m, upstroke, 1200 rpm. Stroke amplitude: 40 mm.

Reference: 5661 *Cost:* 120,000 *Terms:* EACH,
EURO,
MILL
FLOOR <http://finatexinternational.com/pictures/5661.zip>

1 ASSELIN model SM 35 2E needle loom, yoc. 1996,
working width 3.500 mm. Up Stroke.
Number of needles 9.000 lm, rpm. 1.200.
Electric control panel and desk.

Automatex Needle Loom

Reference: 3895 *Cost:* 0 *Terms:* Pictures not available

1 NEEDLE LOOM, constr. "AUTOMATEX", type PR.10/T, year 1985, ww. 2500 mm, 1000 needles per meter linear, traverse 60 mm, 600 rpm, 2 alu. needles boards.

Reference: 5136 *Cost:* 0 *Terms:* Pictures not available

1 pc. needle punch machine AUTOMATEX AG-60-TBF 2700 mm working width, year of construction 1992 top and bottom punch approx. 2250 mm fabric output very dependable machine has some oil leaking (shafts)

operating width listed as 2.600 m
2 boards up and down / 8400 needles per board Listed at 6000 needles per lin meter
2 extra sets of spare needle boards
Rated at 1250 strokes/minute, running at 1000 strokes in the factory

Can use 3" or 3.5" needles

Updated operator safety devices

No in-feed apron

Cooling unit available (for hot climate operation)

Dimensions listed: 4.62m wide, height 2.25m, + motor 2.77m, 1.1m deep
14 tons, 51 KW

Previously used to produce needle punch polyester and polypropylene

Weight range 150g - 1000g g/sqm
Thickness: 2 - 12mm

Machine is on the floor, but not connected to power.

The machine has a single main drive motor.

Price: Any fair offers will be considered due to urgent space requirement.

Reference: 5135 *Cost:* 0 *Terms:* Pictures not available

1 pc. needlepunch machine AUTOMATEX
4700 mm working width, year of construction not known double board top punch
Bought in approx. 2003 as a second-hand one being part of a complete line, but never put it into service after second-hand machinery purchase because the machine model was not needed inn the new installed line.
Further details like number of needles or any similar information are not known to present owner.

The machines leaks some oil. It is mainly suitable for shoddy fibers.

Price: Any offer will be considered due to urgent space requirement.

Please receive attached one photograph of the machine.

Dilo Needle Loom

Reference: 3898 *Cost:* 0 *Terms:* Pictures not available

2 NEEDLES LOOMS, constr. "DILO", type SKN, ww. 1200 mm.

Reference:	3894	<i>Cost:</i> 0	<i>Terms:</i>	Pictures not available
1 NEEDLE LOOM, constr. "DILO", type NFZ.22.D0S, ww. 2200 mm, downstroke, from top to down, 2 boards, 2x1950 = needles/m, motor 220/380 V, 15 Kw.				
Reference:	3897	<i>Cost:</i> 0	<i>Terms:</i>	Pictures not available
3 NEEDLES LOOMS, constr. "DILO", type SKN, ww. 600 mm.				
Reference:	5660	<i>Cost:</i> 52,000	<i>Terms:</i> EACH, EURO, MILL FLOOR	http://finatexinternational.com/pictures/5660.zip
1 DILO model SV-25 needle loom, yoc. 1977, overhauled and converted to OD I-25 in 1998, working width 2.500 mm. Number of needles 4.500 lm, rpm. 1.000. Down Stroke 4500.				
Reference:	3899	<i>Cost:</i> 79,000	<i>Terms:</i> EACH, EURO, MILL FLOOR	http://finatexinternational.com/pictures/3899.zip
1 NEEDLE LOOM, constr. "DILO", type SV.25/ODI-25, year 1977, ww. 2500 mm, 4500 needles/m, downstroke, 1000 rpm, modified to ODI-25 year 1998.				
Reference:	6460	<i>Cost:</i> 0	<i>Terms:</i> -	Pictures not available
-1 DILO model SV-25 needle loom, yoc. 1977, overhauled and converted to OD I-25 in 1998, working width 2.500 mm. Number of needles 4.500 lm, rpm. 1.000. Down Stroke 4500.				

Fehrer Needle Loom

Reference: 3892

Cost: 0

Terms:

Pictures not available

1 pre-NEEDLE LOOM (fehrer type)

YOC 1995 - WORKING WIDTH MM 2700 - 3750 NEEDLES LIN/MT – speed 1000 RPM - STROKE 60 MM - INLET
CONVEYOR BELTS BATT SYSTEM - OUTLET ROLLERS – all electric motors & CONTROL PANEL

1 Fehrer NeedleLoom

Model NL 9/SRS, 4 Meter Width

3 Boards Up & 3 Boards Down

4750 Needles per Meter/Zone

40 mm Stroke, 1200 RPM

Year: 2002

Condition: Excellent

Price: ex mill floor

REF.HOJ

Reference: 3893

Cost: 0

Terms:

Pictures not available

1 PRE-NEEDLE LOOM, constr. "FEHRER", type NL.28.S, year 1973, ww. 3600 mm, 1110 needles/m, downstroke,
1000 rpm.

We offer the following machines:

- Double doffer Spinnbau card 3.5m (schematic drawing is enclosed). Directly from the mill in the USA. REF. VAD. NORTH OF USA
- Needle loom Fenrer NL 28 4.4m wide with compressive batt feed (pictures available). Directly from the mill in the USA. REF. VAD. NORTH OF USA
- Rando Webbers used and new of any sizes. SOUTH AND NORTH OF USA
- we offer upgrading of the Rando Webbers increasing the production rate (the upgrade can double the production for the fraction of the cost of the machine). Rando company introduced several changes in recent models of the machines, which can be introduced in their old machine (like split air, new shape of nose bar etc.).
- complete Maliwatt line 2.4m wide; SHENGEN COUNTRY
- we offer Maliwatt machines refurbished and new with various characteristics and gauges of 2.4m and 3.6m. One bar and two bar machines. SHENGEN COUNTRY
- JAMES HUNTER FIBER LOCKER NEEDLE LOOM; MODEL 22; 2670mm (105"); TWO BOARDS TOP, TWO BOARDS BOTTOM; UP APRON AND PRE-FEED COMPRESSION ROLLERS; 20HP DC MOTOR WITH CONTROL PANEL AND DRIVES REF.NEPA. SOUTH OF THE USA
- 1 - ASSELIN NEEDLE LOOM, TYPE Asselin A25 DF-26 4E 08 421

Year of construction: 1981

1. FEEDING APRON
2. ASSELIN NEEDLE LOOM, TYPE Asselin A25 DF-26 4E 08 421

TECHNICAL DATA:

- Yoc: 1981
- Needling system: 4 boards, 2 from top / 2 from bottom needling
- Clamping: Pneumatic
- Max. work width: 2.600mm
- Needles: 4 x about 5.000 needles/m
- Stroke: 40mm
- Max. stroke frequency: 800 rpm

INCLUDING:

- Control cabinet and panel (new)
 - 1 set of needle board.
- REF. REH. SHENGEN COUNTRY

ASSELIN PRE-NEEDLE LOOM, TYPE Asselin SD26 WITH FEEDING SYSTEM Year of construction: 1987

1. FEEDING UNIT

Asselin type feeding unit with two belts (one top belt, one bottom belt)

2. ASSELIN PRE-NEEDLE LOOM, TYPE Asselin SD26

TECHNICAL DATA:

- Yoc: 1987
- Needling system: One board, from top
- Clamping: Pneumatic
- Max. work width: 2.700mm
- Needles: 5000 needles/m
- Stroke: 60mm
- Max. stroke frequency: 800 rpm
- Speed: 2-15 m/min

INCLUDING:

- Control cabinet and panel (new in 2004)
 - 2 spare boards.
- REF. REH SHENGEN COUNTRY

- Hemp Rando webber (84") line – complete
- REF. REJ NORTHN AMERICA.

We need:

- used Scoleri opener REF. VAD.
- tenter frame (stenter) for stitchbonding products (Maliwatt fabrics) of year 1960 and older, but in good running condition. REF. MOR
- calender 40" wide (or wider) with winder and rewinder for melt blown. REF. MOT.
- complete light fabric nonwoven line. REF. ELA
- complete blending lines for nonwovens – 3 feeds with fine openers. NAJ.
- 1 LAROCHE rag tearing line of 6 cylinders, width 1.000 – 1.500 mm or similar. REF. EIG

Hunter

Needle Loom

Reference: 5285 *Cost:* 0 *Terms:* Pictures not available

- 2 - HUNTER Model 16 Needle Loom, 105" wide, double board down punch, 1.5" stroke.

Reference: 6462 *Cost:* 44,000 *Terms:* EACH,
USD, CNF <http://finatexinternational.com/pictures/6462.zip>

JAMES HUNTER FIBER LOCKER NEEDLE LOOM 2670mm

JAMES HUNTER FIBER LOCKER NEEDLE LOOM
MODEL 22
2670mm (105")
TWO BOARDS TOP, TWO BOARDS BOTTOM
UP APRON AND PRE-FEED COMPRESSION ROLLERS
20HP DC MOTOR
WITH CONTROL PANEL AND DRIVES
QUANTITY: 1

Multiple

Needle Loom

Needle looms second-hand, used needle punching machines, needlepunch, needle felt and felting machines up to 3.000 mm working width

1 pc. pre needling machine HEUER type V 12 (Ref. No. 2155903)
3000 mm working width, year of construction 1992, used
2000 needles per meter, 1000 strokes per minute.
Needling from top to bottom, stroke height is 74 mm.
Motor 20 kW.

1 pc. turning table HEUER (Ref. No. 2155904)
3000 mm working width, year of construction 1992, used
90 ° with cloth feeding

1 pc. Finish needle loom HEUER (Ref. No. 2155905)
3000 mm working width, year of construction 1992
6000 needles / meter, 1200 strokes / minute.
Needling direction from top to bottom. The stroke
height is 50 mm. Motor 38 kW.

1 pc. needle punch machine ASSELIN (Ref. No. 2155825)
2200 mm working width, year of construction 1984, second-hand
downstroke machine, approx. 900 to 1000 rpm, 4000 needles per meter

1 pc. needle loom ASSELIN (Ref. No. 2155826)
2600 mm working width, year of construction 1986, used
Upstroke machine, needling from bottom to top.
600 strokes/minute, 2800 needles/meter

1 pc. needle loom FEHRER NL 9 R (Ref. No. 2155619)
2500 mm working width, 5000 needles/m
incl. fast changing device for bed plate
incl. central greasing system
with 1 set needle boards
incl. control cabinet

1 pc. laboratory needle loom / sample needle loom HUNTER (Ref. No. 2153687)
12 inches working width, year of construction unfortunately not known
with one needle board
motor 440 V / 60 cycles, 3 phases
machine ready to work
one side cover is missing

1 pc. needle punch machine AUTOMATEX AG-60 (Ref. No. 2155549)
2700 mm working width, year of construction 1992, second-hand
top and bottom punch, approx. 2250 mm fabric output
very dependable machine, has some oil leaking (shafts)
top and bottom punch
approx. 2250 mm fabric output
very dependable machine
has some oil leaking (shafts)
operating width listed as 2.600 mt
2 boards up and down / 8400 needles per board
Listed at 6000 needles per lin meter
2 extra sets of spare needleboards
Rated at 1250 strokes/minute, running at 1000 strokes in the factory
Can use 3" or 3.5" needles
Updated operator safety devices
No infeed
Cooling unit available (for hot climate operation)
Dimensions listed: 4.62m wide, height 2.25m, + motor 2.77m, 1.1m deep
14 tons, 51 KW
Previously used to produce needlepunch polyester and polyprop
Weight range 150g - 1000g g/sqm
Thickness: 2 - 12mm
Machine is on the floor, but not connected to power.

1 pc. needle loom DILO O-IB 25 (Ref. No. 2155466)
2500 mm working width, year of construction 1971, second-hand
stroke 60 mm, max. 700 strokes/min

1 pc. pre needle loom ASSELIN (Ref. No. 2154562)
2800 mm working width, year of construction approx. 1985/1990 / reconditioned, second-hand
reconditioned approx. 4 to 5 years ago with new gear
motor, new switch board, 800 strokes/min
with band feeding, single board machine
approx. 3000 or 4000 needles/m
suitable for up to 500/600 gr/sqm

1 pc. needle punch machine DOA1141S-2500 (Ref. No. 2155156)

2500 mm working width, year of construction approx. 1990, second-hand
70 mm stroke height, 1200 strokes/min

1 pc. needle loom DILO(Ref. No. 2155127)
2500 mm working width, second-hand

1 pc. spare part packagefor DILO OD-I-SCM-30(Ref. No. 8324814)

2 pcs.Disco gearsLENZE type 117020416 (Ref. No. 8324205)
P1 = 0,75 KW n1= 1500 min-1
M2 = 93 - 186 NM
n2 = 61 - 10,6 min-1
suitable f.e. for needle loom DILO OUG-II made in the 80s

1 pc. needle loom DOA1140-2500 (Ref. No. 2152244)
2500 mm working width, year of construction 1970
relatively low number of working hours
1.430 needles/m, including 7 pcs. second-hand needle boards
rolls of needle board holders renewed in 2003

Reference: 6463 *Cost:* 0 *Terms:* SEE DESCRIPTION Pictures not available

1 PRE-NEEDLE LOOM, constr. "FEHRER", type NL.28.S, year 1973, ww. 3600 mm, 1110 needles/m, downstroke, 1000 rpm.
Price EUR.44.000.-

1 NEEDLE LOOM, constr. "FEHRER", type NL.12, year 1975, ww. 3600 mm, 6000 needles/m, downstroke, 1000 rpm.
Price EUR.79.000.-

1 NEEDLE LOOM, constr. "AUTOMATEX", type PR.10/T, year 1985, ww. 2500 mm, 1000 needles per meter linear, traverse 60 mm, 600 rpm, 2 alu. needles boards.
Price EUR.33.000.-

1 MULTI NEEDLE QUILTING MACHINE, constr. "STEPPEX", type 64 Standard R, ww. 1620 mm, 2 needles rows each 64 needles total 128 needles, motor 220/380 V, 2 Hp.
Price EUR.14.000.-

3 NEEDLES LOOMS, constr. "DILO", type SKN, ww. 600 mm.
Price EUR.25.000.- each

2 NEEDLES LOOMS, constr. "DILO", type SKN, ww. 1200 mm.
Price EUR.28.000.- each

1 NEEDLE LOOM, constr. "DILO", type SV.25/ODI-25, year 1977, ww. 2500 mm, 4500 needles/m, downstroke, 1000 rpm, modified to ODI-25 year 1998.
Price EUR.79.000.-

1 NEEDLE LOOM, constr. "ASSELIN", type SM.35.2E, year 1996, ww. 3500 mm, 9000 needles/m, upstroke, stroke traverse 40 mm, 1200 rpm.
Price EUR.160.000.-

1 SEMI-AUTOMATIC SINGLE-NEEDLE QUILTING MACHINE, constr. "BEYROUX", type S.80, year 1988, quilting field max. 2600x2400 mm, 2 frames 1400/1600 and 1200/900 mm.
Price EUR.18.000.-

1 NEEDLE LOOM, constr. "FEHRER", type NL.21, year 1979, ww. 2420 mm, traverse 40 mm, 1200 Upm, 2 needle boards, 10.000 needles/m, downstroke.
Price EUR.165.000.-

Rando

Needle Loom

Reference: 5286 *Cost:* 0 *Terms:* Pictures not available

1 - RANDO 60" Airlay, with feed and webber, Model 60-B. 15 hp Leeson motor, 1750 rpm, 230/460v, slitter mounted on webber, 4" knurled feed roll, 2 foot delivery apron.

Nonwoven

Asselin

Needle Loom

Reference: 6415 *Cost:* 60,000 *Terms:* EACH,
EURO, CNF

Pictures not available

ASSELIN NEEDLE LOOM, TYPE
Year of construction: 1981
1. FEEDING APRON
2. ASSELIN NEEDLE LOOM, TYPE Asselin A25 DF-26 4E 08 421
TECHNICAL DATA:
• Yoc: 1981
• Needling system: 4 boards, 2 from top / 2 from bottom needling
• Clamping: Pneumatic
• Max. work width: 2.600mm
• Needles: 4 x about 5.000 needles/m
• Stroke's height: 40mm
• Max. stroke frequency: 800 rpm
INCLUDING:
• Control cabinet and panel (new)
• 1 set of needle board

1 MALIWATT N2400mm, MOD: 14012, 2BARS,

FULLY RECONDITIONED

-WORN PARTS CHANGED
-NEW ELECTRIC, NEW ELECTRONIC, NEW WIRING
-NEW NEEDLE LEADS IN GAUGE F7 INSTALLED
-NEW COLOR
-ALL SETTING ACCORDING TO YOUR PRODUCTION
-TEST RUNNING BEFORE DELIVERY
ACCESSORIES
WARP BEAM STAND, WARP BEAM TUBES, FABRIC BATCHING DEVICE, 2 CUTTING DEVICES (LEFT AND RIGHT),

Dilo

Needle Loom

Reference: 7586 *Cost:* 0 *Terms:* -

Pictures not available

Dilo needle loom of the following characteristics:

Brand: Dilo
Model: O-IV-25
YOC: 1971
WIDE: 2500 mm
NEEDLES: 38.000 units
Complete with electric pannel

In Argentina.

Picture son demand.

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Heuer

Needle Loom

Reference: 7155 *Cost:* 0 *Terms:* SEE
DESCRIPTI
ON

<http://finatexinternational.com/pictures/7155.zip>

Revized
Heuer prenedler, 2.5 m Stroke: 90mm,
rpm: 900 str./min
needles/meter: 833
price: exw mill floor Germany: 24.000,00 EUR

Asselin SD26 pre needler, 2.6m (attached)
price: exw mill floor Germany: 58.000,00 EUR

Asselin type 122: single down stoke machine 2.6m
Price for 1 machine is: exw mill floor western Europe: 25.000,00 EUR
Price for 2 machines is: exw mill floor western Europe: 50.000,00 EUR

We also supply parts like needle boards, bed plates and stripper plates for any needle looms.

Please consider: If prices or commissions are mentioned, they do not include commission for us or any agents. We kept the message original!!!

Hunter

Needle Loom

Reference: 5284 *Cost:* 0 *Terms:* Pictures not available

-
- 1 - HUNTER Batt Line, 60", consisting of: -60" Hunter Feed Hopper.
 - Hunter 60" Model 35A Garnett, 20/30 double doffer, 6" workers / strippers, 16" lick-in, Duesberg Bosson combs, variable speed. Rebuilt with new bearings and transmission in 1998.
 - Hunter Model 7 Horizontal Lapper, 67x110".
 - Floor Apron.

Maliwatt

Needle Loom

Reference: 6002 *Cost:* 0 *Terms:* - Pictures not available

-2 MALIWATT N3600mm, MOD: 14011, FULLY RECONDITIONED

Reference: 6003 *Cost:* 0 *Terms:* - Pictures not available

1 - MALIWATT 2500mm YEAR 1995
In excellent condition
YEAR: 1995
WORKING WIDTH: 2500mm
GAUGE: 10 NEEDLES PER INCH
POSITIONS IN THE CREEL: 960 POSITIONS IN TOTAL

Multiple

Needle Loom

Reference: 6354 *Cost:* 0 *Terms:* - Pictures not available

1 -COMPLETE NEEDLING LINE composed of:

HDB hoper feeder 1 Ty BTT 4 1986 3,0 m
HDB Galaxy Card 2 Galaxy 1986 3,0 m
Cross lapper HDB GV 1 HDB GV 1986 3,0 m
Cross lapper Asselin 1 Asselin 480 1987 6,0 m
Cylinder-Needle loom (Tacker), max 275 rpm, 70mm stroke 1 Asselin 1987 5,5 m
Needle loom, 4 x 4200 n/m, max. 1.335 rpm, 60mm stroke 1 Asselin DF 1987 5,35 m
Winder 1 no brand 1987 5,5 m
L002 COMPLETE

1 COMPLETE NEEDLE PUNCH LINE:

Beating Opener (willow) Italian Regenratione
2005
Ramella carding machine, one cylinder, one doffer 1 Ramella 1985 2,5 m
Cross lapper 2N (TecTex), input 2.500mm 1 2N 1995 3,5 m
Automatex pre-needle loom, 1x 5.000N/m from top 1 Automatex 1982 3,3 m
Fehrer finish needle loom, 2x 3.000N/m from bottom 1 Fehrer 1974 3,0 m
Longitudinal cutter (5 discs) / winder 1 no brand 3,0 m
Dust collector 1 no brand

COMPLETE GEOTEXTILE LINIE composed of:

MTV blending line with 2 bale openers 2 CA 1500 2004 1,5m
Bematic fine opener 1 SS 2000 1999 2,0m
Bematic carding machine 1 HL 3000 1999 3,0m
Autefa cross lapper 1 190 66 1999 6,6m
DIL0 needle loom 1 OU-I B 70 1999 7,0m
Technoplants accumulator 1 1999 7,0m
Technoplants cutting unit 1 LTC70-CCRB 1999 7,0m
Technoplants winder 1 WM70-A 1999 7,0m

Rando

Needle Loom

1 - BATTING/NEEDLE PUNCH LINE, consisting of:

- (1) RANDO 84" Airlay, reconditioned.
 - (1) WISE Picker Opener - 60"
 - (4) FIBER CONTROLS 54" Separators.
 - (1) RANDO 56" Opener Blender.
 - (2) FIBER CONTROLS 60" Blend Line (3) Weigh Pan Feeds.
 - (1) CMC 2+2 Bale Opener.
 - (1) CS/12 Slitter, 90" wide, 4 heads.
 - (1) HERGETH Opener, wire wound, magnet.
 - (1) PMS Cross Blender.
 - (1) Needle Loom, 90" wide. Morrison Berkshire - Model 336. 70 needles per square inch. 570 strokes per minute with a 3" stroke.
- 575 volts.
- OSPREY Dust Collection System.
- Pneumatic conveyor system & piping.
- The equipment was being used to produce 1/4" to 8" matting of hemp and a mixture of hemp and synthetic blends. Line capacity of 2,000 lbs./hour.
-